



# PICO by SIMARINE

**MODULAR SYSTEM FOR MONITORING  
BATTERIES, TANKS AND MORE**

Voltage, current or time remaining?  
PICO has all the answers.





**BACK** button      **UP** button      **DOWN** button      **ENTER** button

**4 VERSIONS = 2 COLOR TYPES + 2 MOUNT TYPES**



ANODIZED ALUMINUM



IP67 RATED



HIGH CONTRAST 3.5 INCH IPS  
SCREEN



AUTO ILLUMINATION



## REAL-TIME DATA



**BATTERIES**



**TEMPERATURE**



**WATER TANK**



**INVERTER**



**LIGHTS**



**FRIDGE**



**COOKTOP**




**SOLAR PANELS**



**CHECK BATTERY STATE OF CHARGE AND VOLTAGE  
(SERVICE/ENGINE BATTERY)**


**LEAD ACID & LITHIUM BATTERY COMPATIBLE**

		
<b>LiFePO4</b>	<b>AGM</b>	<b>GEL</b>
		
<b>Deep Cycle</b>	<b>Wet Free</b>	<b>Wet Low</b>



Monitor all your devices individually (with and expansion module).


See how much current your fridge is consuming comparing to incoming current from solar.



With Pico battery monitoring system you can monitor up to 12 tanks.

Simply add a tank level and voltage module ST107 to the system and set two calibration points.

For irregular tank shapes, you can set several of them to measure as accurately as possible.



Add up to 12 temperature sensors to the system with various shunts and modules: SC303, SC503, SCQ25T and/or ST107.

Pico is compatible with NTC 10k, NTC 5k and NTC 1k sensors.

## ALARMS



PICO's configurable alarm system alerts you to critical conditions.

Set custom thresholds for battery voltage, tank levels, and temperature via the display or Simarine Mobile App. When triggered, visual and audible alerts notify you instantly.

Compatible modules (ST107, SCQ25/50, SCQ25T) include programmable 12 V / 1 A alarm relays for external devices.

Manage alerts with flexible options: **snooze, dismiss for 24 hours, or hide**—keeping you in control of what matters most on board.

## PITCH AND ROLL MONITORING



The innovative inclinometer helps you monitor vehicle's pitch and roll and helps you evenly distribute weight loads.

## GET ALL DATA ON YOUR NMEA2000 COMPATIBLE DEVICE




The NMEA2000 gateway allows PICO to communicate with other devices on the NMEA network.

PICO sends data about batteries, tanks, temperatures, barographs and more to other devices.



# HISTORY



## 3 years of battery history and 100 days of shunt history

The PICO stores the data of all your batteries or battery banks from today back 1200 days – that's more than 3 years.

PICO also saves the data from shunts for the last 100 days.


Shunts store the charging data concerning the solar panels, charger, fridge consumption, lighting, and other appliances you have on board.

# REMOTE MANAGEMENT

Download our free Simarine Mobile App and connect it to PICO to monitor live data for batteries, tanks, temperatures, barograph, consumption of small appliances, and auxiliary generators.

Use it to configure your PICO and upgrade its firmware.

You are able to access data remotely – from anywhere. In this case, you will need connect to the internet via your router, marina or camp WiFi router.



## PICO SWITCHING



## PICO + SK8 +SPDU52

PICO with SK8 and SPDU52 delivers precision battery monitoring and fused six-channel DC switching—complete with manual override and seamless expansion to tanks, temperatures, and more—on one sleek, dependable interface.



## PICO + SK8/3RD PARTY SWITCHES + SPDU66

Pair PICO with SK8—or your existing 3rd-party switches—and the SPDU66 for six fused DC switching channels, six digital inputs, a built-in 100 A main shunt and integrated charger/solar shunts, delivering tactile control with advanced PICO monitoring and full Simarine expandability.



# MODULES



**COMBO SHUNTS**  
SC303 AND SC503

**QUADRO SHUNTS**  
SCQ25, SCQ50 AND SCQ25T

**INCLINOMETER**  
SDI01



**VOLTAGE AND RESISTANCE  
MODULE - ST107**

**DIGITAL KEYBOARD  
SK8**

**NMEA2000 MODULE  
SN01**



**LIGHT SWITCHES**  
N-LS-D-2B & N-LS-D-2S

**POWER DISTRIBUTION  
UNIT - SPDU-52**

**POWER DISTRIBUTION  
UNIT - SPDU-66**

## PICO SETS



### PICO ONE SET Includes:



**PICO**  
Battery Monitor



**SC303**  
Combo Shunt



### PICO STANDARD SET Includes:



**PICO**  
Battery Monitor



**SC303**  
Combo Shunt



**ST107**  
Tank Level Module



### PICO BLUE SET Includes:



**PICO**  
Battery Monitor



**SC303**  
Combo Shunt



**SCQ25**  
Quadro Shunt



**ST107**  
Tank Level Module

## OUR TRUSTED PARTNERS



FURGOK



ROBETA®

